




EVAYA GUIDE TYPES





02 GUIDE TYPE - TECHNICAL

| | | |
|---------------|--------------------------|-----------------|
| SCALE | DRAWING NO. ev80-02.B | SHEET 1 of 8 |
| BY SK | DATE OCT'25 | CLIENT |
| CHECKED PA | DATE OCT'25 | ADDRESS |


FRONT ELEVATION
 TYPE A 236 PELMET WITH TYPE A SIDE CHANNELS
 FACE FIXED ONTO BUILDING




SECTION A-A



DIMENSIONED PROFILE
SCALE 1:1



PERSPECTIVE
TYPE A 236 PELMET WITH
TYPE A SIDE CHANNEL




NOTES

- ADJUSTABLE PROJECTION OF 75mm TO 165mm WITH A 24mm WIDTH
- UTILISED IN FACE FIT APPLICATIONS


TYPE A SIDE CHANNEL
GUIDE TYPE - TECHNICAL

| | | |
|--------------------|-----------------------------|-----------------|
| SCALE 1:10 @ A1 | DRAWING NO. ev80-02-01.A | SHEET 2 of 8 |
| BY SK | DATE NOV'25 | CLIENT |
| CHECKED PA | DATE NOV'25 | ADDRESS |


FRONT ELEVATION
 TYPE A 236 PELMET WITH TYPE B SIDE CHANNELS
 SIDE FIXED IN WINDOW REVEAL




SECTION A-A




DETAIL A
 SCALE 1:1



SECTION B-B



DIMENSIONED PROFILE
 SCALE 1:1



NOTES


- 29mm x 39mm
- ONLY TO BE UTILISED IN WINDOW REVEALS OR SHROUDS
- CAN BE USED IN SIDE FIX AND RECESSED APPLICATIONS
- NO VISIBLE FIXING OR ATTACHMENT POINT

PERSPECTIVE

TYPE A 236 PELMET WITH
 TYPE B SIDE CHANNEL




DETAIL B
 SCALE 1:1




TYPE B SIDE CHANNEL
 GUIDE TYPE - TECHNICAL


FRONT ELEVATION
 TYPE A 236 PELMET WITH TYPE B SIDE CHANNELS
 SIDE FIXED AND RECESSED INTO WALL




SECTION A-A




DETAIL A
 SCALE 1:1



SECTION B-B



DIMENSIONED PROFILE
 SCALE 1:1



NOTES


- 29mm x 39mm
- ONLY TO BE UTILISED IN WINDOW REVEALS OR SHROUDS
- CAN BE USED IN SIDE FIX AND RECESSED APPLICATIONS
- NO VISIBLE FIXING OR ATTACHMENT POINT

PERSPECTIVE

TYPE A 236 PELMET WITH
 TYPE B SIDE CHANNEL




DETAIL B
 SCALE 1:1




TYPE B SIDE CHANNEL
 GUIDE TYPE - TECHNICAL


FRONT ELEVATION
TYPE A 236 PELMET WITH TYPE C SIDE CHANNELS




SECTION A-A




PERSPECTIVE
TYPE A 236 PELMET WITH TYPE C SIDE CHANNEL




DIMENSIONED PROFILE
SCALE 1:1



DETAIL A
SCALE 1:1



DETAIL B
TYPE A 236 PELMET WITH TYPE C SIDE CHANNEL




NOTES


- 27mm WIDE x 47mm WITH A 98mm PROJECTION
- UTILISED IN FACE FIT APPLICATIONS
- MINIMAL FIXING AND FASTENING REQUIRED

TYPE C SIDE CHANNEL
GUIDE TYPE - TECHNICAL


FRONT ELEVATION
TYPE A 236 PELMET WITH TYPE D SIDE CHANNELS




SECTION A-A




PERSPECTIVE
TYPE A 236 PELMET WITH TYPE D SIDE CHANNEL




DIMENSIONED PROFILE
SCALE 1:1



DETAIL A
SCALE 1:1



PERSPECTIVE
TYPE A 236 PELMET WITH TYPE D SIDE CHANNEL




NOTES


- 27mm WIDE WITH A 98mm PROJECTION
- FIXING OPTIONS AVAILABLE FOR FACE FIT OR RECESS APPLICATIONS
- CAPABLE OF LINKING MULTIPLE UNITS SEAMLESSLY
- NO VISIBLE FASTENING OR ANCHORING POINTS

TYPE D SIDE CHANNEL
GUIDE TYPE - TECHNICAL


FRONT ELEVATION
TYPE A 236 PELMET WITH TYPE E SIDE CHANNELS




SECTION A-A




PERSPECTIVE
TYPE A 236 PELMET WITH TYPE E SIDE CHANNEL




DIMENSIONED PROFILE
SCALE 1:1



DETAIL A
SCALE 1:1



PERSPECTIVE
TYPE A 236 PELMET WITH TYPE E SIDE CHANNEL FACE FIXED ONTO WINDOW FRAME




NOTES


- 27mm WIDE x 47mm WITH A 150mm PROJECTION
- FIXING OPTIONS AVAILABLE FOR FACE FIT APPLICATIONS
- MINIMAL FASTENING POINTS

TYPE E SIDE CHANNEL
GUIDE TYPE - TECHNICAL


FRONT ELEVATION
TYPE A 236 PELMET WITH TYPE F SIDE CHANNELS




SECTION A-A




PERSPECTIVE
TYPE A 236 PELMET WITH TYPE F SIDE CHANNEL




DIMENSIONED PROFILE
SCALE 1:1



DETAIL A
SCALE 1:1



PERSPECTIVE
TYPE A 236 PELMET WITH TYPE F SIDE CHANNEL FIXED INTO WALL



- NOTES**
- 27mm WIDE WITH A 150mm PROJECTION
 - FIXING OPTIONS AVAILABLE FOR FACE FIT AND RECESS APPLICATIONS
 - CAPABLE OF LINKING MULTIPLE UNITS SEAMLESSLY
 - NO VISIBLE FASTENING OR ANCHORING POINTS

TYPE F SIDE CHANNEL
GUIDE TYPE - TECHNICAL